

# WX2011 PICO MS

WX2011 PICO MS Set for soldering tasks with microscopes  
Product no.: T0053422671



## Benefits

- For high precision pico soldering applications: 0402 to 01005
- Station works as a benchtop controller to control tips, tools, fume extraction and peripheric tools
- 2 channels for simultaneous work of 2 tools with intelligent tool detection
- Extremely fast heat-up time: 3 sec.
- Triple awarded active tip technology are fully compliant with MIL-SPEC / IPC Standard
- Intelligent iron with motion sensor and integrated data storage
- Toolless tip change
- Solder wire SAC M1 for best flow behaviour and homogeneous flux distribution
- Erem 5SA precision tweezers, suitable for very fine wires; Swiss Made



### Technical Data

|  |                    |
|--|--------------------|
| Dimensions L x W x H (mm)              | 174 x 154 x 135    |
| Dimensions L x W x H (inches)          | 6,85 x 6,06 x 5,31 |
| Weight (approx.) in kg                 | 3.45               |
| Voltage                                | 230 V, 50 Hz       |
| Power                                  | 200 W (255 W)      |
| Channels                               | 2                  |
| Temperature range (depends on tool) °C | 100 - 550          |
| Temperature range (depends on tool) °F | 210 - 999          |
| Temperature accuracy °C                | ±9                 |
| Temperature accuracy °F                | ±17                |
| Temperature stability °C               | ±2                 |
| Temperature stability °F               | ±4                 |
| Equipotential bonding socket           | ---                |
| Display                                | 255 x 128 dots     |
| Air consumption l/min                  | ---                |
| Operating pressure in bar/psi          | ---                |
| Capacity l/min                         | ---                |
| Vacuum                                 | ---                |